Aliette (aluminum tris) (Also See: Fosetyl #480425)

#480327 Daconil ULTREX

#480379

See Echo Ultimate ETQ #480446

Daconil Weather Stik See Echo 720, #480398

Systemic fungicide prevents pythium blight on turf Controls diseases caused by pythium &phytophthora. Rate, Turf: 4-8 oz in 1-5 gal water/ 1,000 sg ft at 14 to 21 day intervals. **Ornamentals-foliar application:** 2.5-5 lb/ 100 gallon. water thoroughly wetting foliage. Apply at monthly intervals.

Size: 4 x 5.5 lbs

Defiant 75 WDG (thiram) Same as Spotrete # 480440

#480442

A dual-purpose product!

#480329

- Protects turf from disease

- Protects turf & ornamentals from animal damage. Effective against brown patch, dollar spot, pink snow mold, deer, rabbit, rodent & geese damage. Rate: 2.5-3oz/1,000 sq ft #480336 in 5-10 gal water. Size: 4 x 10 lb

Banner Maxx

See: Propensity #480437

Banol (propamocarb)

See: ProPlant #480331

Bayleton G 1%

See: T-Methyl Granular #480332 Or use as alternative: Pillar, #480395

Captan 50 WP (captan)

#480360

50% wettable powder

Use to control a broad spectrum of fungus diseases on vegetables, small fruits, fruit trees, flowers, & ornamentals. Rate: 1-4 lb/ 100 gal of water and apply at sign of disease.

Size: 10 x 5 lb

Chipco GT 26019 (iprodione) #480364 #480366 Also See: Iprodione #480419

Effective in controlling dollar spot, brown patch, & fusarium blight on all common turfgrasses. Rate: Chipco GT 26019 FLO on turfgrass, 2-8 fl oz in 2-10 gal water/ 1,000 sg ft Repeat 14 to 21 day intervals as long as required. Size: 26019 FLO: 2 x 2.5 gal

Cleary's 3336 (thiophanate-methyl)

#480372 GC

See: TEE-Off #480454, or T-Methyl G-PRO #480337

ConSyst (chlorothalonil & dimethyl)

See: Tee-1-Up #480355

Curalan EG (vinclozolin)

#480389

Fungistatic fungicide protects plant tissues from infection Apply preventively See label for additional information

Rate: 1 oz in 1-4 gallons water per 1,000 sq ft

Size: 12 x 2.75 lb (33 lb)

Disarm 480 SC

#480210

Control foliar, stem &root diseases in turf and ornamentals for commercial production in landscape areas around residential, municipal & commercial properties, field grown ornamentals in greenhouses, interiorscapes and other enclosed structures. Rate: 8-16 oz/ acre (equates to 0.18-0.36 oz / 1,000 sq ft)

Dithane 75DF T&O (mancozeb)

#480384

Also See: Penncozeb 75 DF #480421

Broad spectrum: use in controlling diseases on turfgrasses, fruit trees, ornamentals & greenhouse crops. On turf, it will control copper spot, fusarium blight, powdery mildew, red thread, slime molds, rusts, helminthosporium leafspot and melting out, dollar spot rhizoctonia brown patch and pythium blight. Rate: Turf: 4-8 oz/ 1,000 sq ft Ornamentals: 1.5lb/ acre in 100 gal water @ 7-10 day intervals for 3 Size: 4 x 12 lb applications.

Eagle 20EW (myclobutanil)

#480406 gal #480407 pint

#480370 G A systemic turf fungicide used to control leafspot, dollar spot, powdery mildew, rusts, red thread, brown patch, summer patch and necrotic ring spot. Rate: Turf: Anthracnose: 1.2oz/ 1,000 sq ft Dollar Spot: 1-2.4oz/ 1,000 sq ft Ornamentals **#480358** & Fruit Trees: 4-60z/ 100 gal water Do not apply 14 days Size: 4 x 1 gal; 8 x 1 pint before Harvest.

Eagle 0.39g

#480096

A granular product containing a systemic protectant and curative fungicide for the control of turfgrass diseases in established lawns and in ornamental turf including golf courses fairways, roughs, tees and greens and in sod farms. Rate: Preventive 4-8 lbs/ 1,000 sq ft Size: 30 lb bag

ECHO 6F ETQ

#480445

Contact fungicide - Contains flowable chlorothalonil and green pigment for broad spectrum control of diseases on turfgrasses. Rate: 2 - 5 oz/ 1,000 sq ft Size: 2.5 gal

ECHO 720

#480398

Contact fungicide - Contains flowable chlorothalonil for broad spectrum control of diseases on turfgrasses, **not for use on home lawns.** Rate: Turf: 2.1-6.3 oz/ 1,000 sq ft Ornamentals & Conifers: 1.4 pints/100 gal water

Size: 2 x 2.5 gal

ECHO Ultimate 82.5WDG

#480394

Contact fungicide - Contains flowable chlorothalonil for broad spectrum control of diseases on turfgrasses, **not for use on home lawns.** Rate: Turf:1.82-3.25 oz/1,000 sq ft (4.1-13.7 lb/acre) Conifers: 1.36-5 lb/acre in 100 gal water Ornamentals: 1.25 lb/100 gal water Size: 4 x 5 lb

ECHO Ultimate ETQ

#480446

Contact fungicide - Contains flowable chlorothalonil and green pigment, broad spectrum control of diseases on turfgrasses, **not for use on home lawns.** Rate: 1.82 - 5 oz/1,000 sq ft Size: 2 x 10 lb

EcoGuard (microbial)

#434025

Bio-fungicide that controls a broad spectrum of turf diseases.

Rate: Dollar Spot: 20 oz/1,000 sq ft

Size: 2 x 2.5 gal

Emerald (boscalid)

#480405

Systemic fungicide recommended for the control of dollar spot on golf course turfgrass. **Rate:** 5.7 - 8.0 oz per acre (0.13-0.18 oz per 1,000 sq ft)

Size: 10 x .49 lb

Endorse (polyoxin D)

#480401

Systemic, foliar-applied fungicide for controlling a broad spectrum of turfgrass diseases. Rate: 11 lb/ ac 44 gal water See Label for Additional Information Size: 3 x 11 lb

Fore WSP Rainshield

See: Dithane 75 #480384

#480096

Fosetyl AL 80 WP (aluminum tris)

Fosetvl aluminum

Same Active Ingredient as "Signature"

- Systemic, used to prevent pythium blight
- Controls diseases caused by pythium & phytophthora

Use on bedding plants, ornamentals, nurseries, & greenhouses. Rates, Turf: 4-8 oz/ 1-5 gal water/ 1,000 sq ft at 14 to 21 day intervals. ornamentals-foliar: 2.5-5 lb/ 100 gal water thoroughly wetting foliage. Apply at monthly intervals.

Size: 4 x 5.5 lb

#480425

Heritage WDG (azoxystrobin)

#480416

Better Alternative: Insignia SC

Broad spectrum, preventative fungicide recommended for control of plant diseases on turf, ornamentals, other home & garden landscapes. Rate: 1 lb/ acre (.2-.4oz./ 1,000 sq ft) Size: 6 x 1 lb

Honor Intrinsic Fungicide 6X #48

#480426

Unsurpassed Control of Top Diseases! (Combination: Insignia & Emerld)

New premix provides two modes of action for fighting the Superintendents battle. Intrinsic is a brand of products from BASF that also **provide plant health benefits**. Rate: varies by application, see label. Size: 6 x 3lb

Insignia SC Intrinsic (pyraclostrobin)

FOR GOLF COURSE TURFGRASS ONLY #480477 4 x 30.5 oz #480478 4 x 122 oz

#480479 2 x 2.5 gal

Broad-spectrum, recommended for control of anthracnose, bentgrass dead spot, brown patch, dollar spot (suppression inly), fairy ring, fusarium, patch, gray leaf spot, gray snow mold, leaf spot, melting out, pink patch, pink snow mold, powdery mildew, pythium blight, rapid blight, red thread, rust, summer patch and take-all patch.

Rate: 30.5 oz/acre

Size: 3 x 7.2 lb; 3 x 2.4 lb

Iprodione

#480419

- Effective in controlling dollar spot, brown patch, & fusarium blight on all common turfgrasses.
- Helminthosporium leafspot, red thread, and melting out are controlled on bluegrass, bentgrass, and bermudagrass.

Prevention and broad spectrum control of turfgrass diseases. Rates, Turf: 2-8 fl oz in 2-10 gal water/ 1,000 sq ft, repeat 14 - 21 day intervals. Size: 2 x 2.5 gal

Mefenoxam 2AQ

#480420

Rubigan AS (fenarimol) #480438 A locally systemic fungicide used as a foliar spray to control specified diseases on turfgrasses and ornamentals.

Rate: 6 - 12 oz/ acre

Size: 2 x 1 gal

Size: 2 x 2.5 gal

Rate: 1 pint

Par Flo (PCNB) See: Turfcide #480433 #480433

Penncozeb 75 DF (Manzata)

turf for dampening off and pythium control.

solution per sq ft, or .2 -1.5 oz/ 100 gal water.

#480421

See: Dithane 75 #480384

Pillar G #480395

Controls certain diseases in conifers, nonbearing citrus, nonbearing deciduous fruits & nuts, and ornamentals. Also for

Combo product of Pyraclostrobin which is Insignia and Triticonazole which is Trinity. Does a great job on summer patch and dollar spot on bluegrass lawns. Also great product for snowmold control. Rate: 3 lbs/ 1,000 sq ft

Size: 30 lb bag

Propiconazole/Propensity

#480437

Post-patent Banner, same as Propensity

Broad spectrum, systemic disease control of dollar spot, brown patch, red thread, necrotic ring spot, pink patch, rust, powdery mildew, spring dead spot, gray leafspot, pink snowmold, gray snowmold, yellow patch & zoysia patch. controls numerous diseases on ornamentals, landscape and nursery plantings. Do not apply through irrigation system. Do not use as a tree injection. Rate: Turf: .5 -2 oz for dollar spot and red thread, 2 -4 oz for summer patch. **Ornamentals:** 6 -8 oz / 100 gal water. DO NOT use as a tree injection, or on violets, begonias, or geraniums. Size: 2 x 2.5 gal

Proplant #480331

Post-patent Banol (propamocarb hydrochloride)

Highly effective control of pythium cottony blight, grease spot on turfgrass. During all stages of ornamental propagation, an excellent preventive against root rot & damping-off caused by pythium and phytophthora. Preventative: 1.3- 2 oz/1,000 sq ft in 2-5 gal water Curative: 3-4 oz/1,000 sq ft in 2-5 g water Ornamentals: 2-3 oz/10 g water.

Size 2 x 1 gal

Prostar 70 WP (flutolanil) #480434

Locally systemic fungicide that controls both fairy ring and brown patch - and 6 more common turf diseases. Rate: 1.5 - 2.5 oz/ 1,000 sq ft Size: 10 x 1 lb

Prostar 70 WP #3

Size: 4 x 3

Subdue 2G

#480450

(propionic acid methyl ester)

A convenient, easy to apply granular fungicide providing the same systemic control of ornamental and turf diseases that SUBDUE MAXX does. Rate: Turf: 12.5-25 oz/1,000 sq ft

Size: 25 lb

Subdue Maxx (mefenoxam2 AQ)

#480451

See: Mefenoxam, Item #480420

Spectro 90 WDG

#480441

(chlorothalonil & thiophanate methyl)

This unique WDG formulation of 3336 and chlorothalonil has both contact and systemic properties for optimal control of turf and ornamental diseases Rates Turf: 2-5.76 oz/ 1,000

sq ft Ornamentals: 1-2 lb/ 100 gal water

Size: 4 X 5 lb

Spotrete (thiram)

#480440

Cleary's thiram turf fungicide available as a flowable or as water dispensable granules. For the control of dollar spots, snow mold on turf grass and for animal repellency on trees and shrubs. Rate: Dollar spots and brown patch: 3.75 oz in 2 - 5 gal water/ 1,000 sq ft Snow Mold: apply 7.5 oz in 2-5 gal water/ 1,000 sq ft in the autumn prior to the first snowfall. Repeat application in early spring. Size: 2 x 2.5 gal

Sync

#434040

A unique, proprietary adjuvant technology proven to enhance the performance of both contact and systemic fungicides, and to lengthen disease control at reduced water volume on a wide variety of turf diseases. Rate: 1 pint (16 fl Size: 16 oz x 12 oz) per 100 gal water

T-Methyl G-Pro 50WSP

#480337

(thiophanate-methyl)

For control of a broad spectrum of diseases of bedding, flowering and tropical foliage plants, shrubs, trees and flowers in the landscape, interiorscape, nursery and greenhouse, containerized woody shrubs and trees, and turfgrass. #480435 Rate: 4-16 oz/1,000 sq ft Size: 6 x (4 x 8 oz)

T-Methyl Granular

#480332

Systemic fungicide that provides broad spectrum disease control on turf, flowers, foliage plants, shrubs, & shade trees. **Rate:** 3-5 lbs / 1,000 sq ft, Covers 6-10,000 sq ft/ bag

Size: 30 lb Bag



#480355

(chlorothalonil & thiophanate-methyl) (Same as Consyst or Spectro 90)

Formulation of chlorothalonil and thiophanate-methyl to provide broad-spectrum contact and systemic disease control on golf courses and ornamental turfgrass, as well as on ornamental plants, shrubs and trees. **Rate:** 8-10 lbs/acre

Size: 4 x 5 lb

Tee-Off 4.5F

#480454

(thiophanate-methyl)

Systemic fungicide, registered for use on both turf and ornamentals. Provides both preventive and curative control of anthracnose, summer patch, gray leaf spot, brown patch, dollar spot, leaf spot and several other key diseases. Can be professionally applied to both cool and warm-season turfgrasses on golf courses, commercial and residential properties. Rate: Turf: 1-2 oz/1,000 sq ft, Ornamentals: 10-20 oz/100 gal water.

Teremec SP (chloroneb) See Proplant # 480331

Trinity Fungicide

#480362

(ai: Triticonazole) Superior Performance on Anthracnose!

- Unbeatable diseases control in summer stress period
- Ideal tank-mix partner for Insignia to control turf troubles **Research conducted by Dr. Joe Vargas**, Professor of Plant Pathology, Michigan State University, showed Trinity to be one of the best SI (DMI) Fungicides for the control of summer patch & Anthracnose. **Rate:** varies by use, see label.

Size: 2 x 2.5 gal

Turfcide 10% G (PCNB)

#480433

A granular fungicide used to prevent and control certain soil borne diseases of turf and certain ornamental crops. Rates, Turf: Gray and Pink Snow Mold: 5 - 10 lb/1,000 sq ft prior to first snowfall or when weather conditions favor development of disease.

Size: 50 lb bag

SipcamAd√an



Echo ETQ

#480445

Broad-spectrum contact fungicide with a multi-site mode of action that interrupts the metabolic activity of fungal pathogens and prevents resistance. Size: 2 x 2.5 gal

- Natural adhesion to leaf blade, eliminates need for surfactants
- Proven, Economical fungicide provides excellent results and value

E-Scape ETQ

#480214

Unique combination of active ingredients delivers both contact and systemic modes of action. Size: 2 x 2.5 gal

- Promotes optimium aesthetic response from plant
- Provides complete plant protection, helping you to sleep easy

Eclipse ETQ

#480215

Broad-spectrum contact fungicide with protective and curative action. A dicarboximide fungicide that inhibits spore germination of fungal mycelium.

Size: 2 x 2.5 gal

- Excellent tank mix & rotation partner for your complete fungicide program

Clearscape ETQ

#480216

Provides preventative and curative action with rapid plant uptake, low use application flexibility and delayed resistance development. DMI Fungicide controls disease by inhibiting processes related to fungal biosysnthesis. Size: 2 x 1 gal

- Distrupts target pathogen growth
- Excellent tank mix and rotation partner